

Hi Saba,

I use single checkbox to trigger an action (button 2 -> View). For this reason I create a check box as a button. That's easy and works fine. But since SEBLOD vers. 3.7.0 checkboxes with a link are no longer displayed in browsers.

	Link	Typography
# COLUMN-C	<i class="icon-check icon-bl	- Default -
Dokument-Mark-Sign (Text)	None	HTML
# COLUMN-D	<i class="icon-barcode icon	- Default -
Article Id (Text)	None	None
Dokument-Related-Item (Select - DynamicCastor)	None	None
Dokument-Art-Radio (Checkbox)	None	None
Dokument-Dok-Nummer-Button (Text)	View	HTML
Dokument-Art-Radio-Info (Checkbox)	View	None
Dokument-Art-Radio-Wichtig (Checkbox)	View	None
Dokument-Art-Radio-Betrug (Checkbox)	View	None
Dokument-Art-Radio-Medien (Checkbox)	View	None
Dokument-Art-Radio-Material (Checkbox)	View	None
Dokument-Art-Radio-Sequenz-Start (Checkbox)	View	None
Dokument-Art-Radio-Sequenz-Stufe (Checkbox)	View	None
Dokument-Art-Radio-Verbindung (Checkbox)	View	None

Here you can see the construction sheet from a “checkbox-button” **Dokument-Art-Radio-Wichtig**:

Label	<input type="text" value="clear"/>	Default Value	<input type="text"/>
Ordering	<input type="text" value="Following Options"/>	Orientation	<input type="text" value="Horizontal"/>
Optionen	<input type="text" value="wichtig_button=01"/>	Separator	<input type="text" value=","/>
	<input type="checkbox"/>	Toggle "Check All"	<input type="text" value="Hide"/>

Custom Attributes

HOW

Storage ²

Format / Object	<input type="text" value="Standard"/>	<input type="text" value="Free"/>	<input type="text" value="dokumentarradio"/>	<input type="checkbox"/> Alter
Parameters	<input type="text" value="d0ain_cck_store_item_conte"/>			

Dokument-Art-Radio-Wichtig use the same storage like the field **Dokument-Art-Radio** -> "dokumentartradio" which is a standard-checkbox with many options.

The constant **wichtig_button** is stored in the override file from joomla:

Override bearbeiten

Sprachschlüssel *

Text

```
<span style="white-space:nowrap; margin-bottom:2px; width:80px;" class="btn btn-mini btn-primary white"><i class="icon-flag icon-white">
```

Sprache

Region

Before SEBLOD 3.7.0 all works fine:

<input checked="" type="checkbox"/>	75-20150707 <input type="button" value="Info"/>	07.07.2015	Arbeitsstättenverord Die Arbeitsstättenverord Leitlinien wird festgelegt und Bekanntgabe als F
<input checked="" type="checkbox"/>	68-20150126 <input type="button" value="Wichtig"/> <input type="button" value="Fusion"/> <input type="button" value="Edit (68)"/> <input type="button" value="Multiselect"/> <input type="button" value="Löschen"/> <input type="button" value="Drucken"/> <input type="button" value="Dateien (4)"/> <input type="button" value="ZIP (4)"/>	20.02.2013	Beweissicherungsve Das OLG stellt fest, da Dies wäre Aufgabe der ca. 4 Monate verschollt
<input checked="" type="checkbox"/>	50-20141118 <input type="button" value="Fusion"/> <input type="button" value="Wert"/> € 10000 <input type="button" value="Edit (50)"/> <input type="button" value="Multiselect"/> <input type="button" value="Löschen"/> <input type="button" value="Drucken"/>	25.09.2010	Dränage Laut Hauptgutachten m zwischenzeitlich ein Box angeschlossen werden 

1 bis 3 von 3 Einträgen

[3] Satz: 1 bis 3 von 3 Datensätzen

The buttons , , ,  etc. are in reality checkboxes.

After update to SEBLOD 3.7.0 checkboxes with link are no longer displayed.



The screenshot shows a table with three rows of data. Each row has a checkbox on the left, followed by a text field containing an ID, a set of action buttons (Edit, Multiselect, Löschen, Drucken, Dateien, ZIP), a date field, and a text description. The first row has ID 75-20150707, date 07.07.2015, and title 'Arbeitsstättenverordnung'. The second row has ID 68-20150126, date 20.02.2013, and title 'Beweissicherungsverfahren'. The third row has ID 50-20141118, a value of € 10000, date 25.09.2010, and title 'Dränage'. Below the table is a status bar indicating '1 bis 3 von 3 Einträgen'. At the bottom, there is a control bar with a search field, a 'Show List' button, a 'Reset All' button, and other navigation options.

I have patched the checkbox.php (field plugin). But this is, in my opinion, not a good solution. But after that everything works well again.

```

61     $field->value = $value;
62
63     if (!$field->link_options) {
64         $texts = explode( $doTranslation, $value );
65         $values = explode( $doTranslation, $value );
66
67         if ( count( $values ) ) {
68             $field->values = array();
69             foreach ( $values as $k=>$v ) {
70                 $field->values[$k] = (object)array(
71                     'e'=>$v );
72             }
73         }
74         $field->typo_target = 'text';
75         $config['doTranslation'] = $doTranslation;
76     }

```

Can you suggest a better solution? Best regards Castor